




Friedhelm TRAPP GmbH

Ostring 15 - 63533 Mainhausen - Zentrale: 06182/9294-5 - Fax: 06182/9294-69 - Mail: trapp@f-trapp.de

www.f-trapp.de

Decorative luminaire TML-346



Decorative top luminaire for the illumination of the road space for Park and green areas.

With shield diameters of 680 mm and 800 mm, they can be used for mounting heights from 3.0 to 6.5 m. The free color selection allows a wide design leeway for a variety of applications.

This modern top luminaire is also available as a gas luminaire.





Decorative luminaire TML-346

Technical Specifications

Application areas:

Fixed illumination from:

- Residential and shopping streets
- Parks and green areas
- Representative areas
- Pedestrian areas
- Promenades
- Parking and marketplaces

Lightspot height:

3.5 to 6.5 m, for mounting a top luminaire on steel masts or jib (Spigot Ø 76 mm).

Luminaire housing:

- Aluminium sheet / Al-casting powder coated or painted
- RAL color of your choice
- Roof-part removable without tools
- On request glare reduction by internal fins, shielding or prismatic refractor (see illustration)
- PMMA or PC (extra charge) opal or clear.

Cylinder:

PMMA or PC (extra charge) opal or clear.

Electrical installation:


- Electrical plug block
- LED
- HSE 70 - 150 W
- HIE
- Protection class: I
- protection category: IP 44

All connecting elements made of stainless steel.




Decorative luminaire TML-346

Diameters




TML 346.680




TML 346.800

Photometric data

Polar graph:



Cartesian graph:



Light source: HSE 50 W




Friedhelm TRAPP GmbH


Ostring 15 - 63533 Mainhausen - Zentrale: 06182/9294-5 - Fax: 06182/9294-69 - Mail: trapp@f-trapp.de

www.f-trapp.de

Decorative luminaire TML-346



Luminaire TML 346.800
Pole: TZM 711.40



TML 346.680
TZM 711.35